TRONIX guided by light

Casambi || Interface | 0-10V / DALI | recessed

ARTICLE NUMBER: 214-214

View this product in our webshop

CASAMBI



17.11.2026 - Disclaimer: information subject to change.

Casambi interface for drivers with 0–10V, 1–10V or DALI dimming. A compact solution for wireless control of brightness and colour temperature via smartphone or tablet. Operates without a gateway.

Key product features

- **Number of colour channels:** 1
- **Input voltage (V):** 220 – 240
- **Type of control:** Casambi

Technical specifications:

Product Name	Casambi || Interface | 0-10V / DALI | recessed
Ean	8714984946958
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	0.007A
Output voltage	1 - 10V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	56.6mm
Width	35.8mm
Height	22.6mm
Number of zones	1
Number of colour channels	1, Single Colour
Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	220 - 240V
Control method	Casambi

17.11.2026 - Disclaimer: information subject to change.

DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	Yes
Warranty	5 years



17.11.2026 - Disclaimer: information subject to change.