TRONIX guided by light

DALI | controller | DALI to trailing edge | surface mounted

ARTICLE NUMBER: 213-255

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

This AC trailing edge DALI-2 dimmer controls 230V light sources via leading edge and trailing edge phase dimming. Developed for professional installations where adjustability, load capacity and reliable DALI control are essential.


Key product features

- **Control method:** DALI
- **Number of colour channels:** 1
- **Output voltage (V):** 100 – 240
- **Input voltage (V):** 100 – 240
- **Max. output current (A):** 1.5
- **Suitable for surface mounting:** Yes

Technical specifications:

Product Name	DALI | controller | DALI to trailing edge | surface mounted
Ean	8714984953697
Outer box qty	1st
Colour	White
Connection type	Screwed terminal
Operating method	Other
Control method	DALI
Mounting method	Surface mounted
Material	Plastic
Material quality	Thermoplastic
Applicable with presence indicator	Yes
Suitable for degree of protection (IP)	IP20
Applicable with movement sensor	Yes
Applicable with button	Yes
Applicable with transmission button	No

Applicable with time switch/timer	Yes
Nominal voltage	100 - 240V
Control voltage	100 - 240V
Min. brightness controllable	Yes
Max. switching power LED	200W
Light value memory	Yes
Halogen free	Yes
RAL-number (similar)	9016
Core cross section	0.75 - 2.5mm??
Warranty	5 years



17.11.2026 - Disclaimer: information subject to change.