TRONIX guided by light

DALI | controller | DMX | DIN

ARTICLE NUMBER: 213-250

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

This DALI-2 / DMX512 signal converter enables bidirectional interfacing between DALI and DMX512 systems. Designed for professional applications where integration between architectural and entertainment lighting is required.

Product features


- **Type of control:** DMX/DALI
- **DIN-rail mounting:** Yes
- **Input voltage (V):** 12–48

Technical specifications:

Product Name	DALI | controller | DMX | DIN
Ean	8714984953642
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Output voltage	- - -V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	110mm
Width	67mm
Height	48mm
Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	DMX/DALI
DIN-rail mounting	Yes
Brand	Tronix Lighting

17.11.2026 - Disclaimer: information subject to change.

Compatible with Casambi	No
Warranty	5 years


45mm
67mm
35.5mm
98mm
110mm
37mm
48mm
35mm
DIN Rail Mounting Size:
TS-35/7.5 or TS-35/15