TRONIX guided by light

DALI | controller | SC/TW/RGB(W) | 12~48V | DIN

ARTICLE NUMBER: 213-253

View this product in our webshop



18.11.2026 - Disclaimer: information subject to change.

This 4-channel constant voltage DALI-2 LED dimmer flexibly controls single-colour, Tuneable White and RGB(W) LED strips in professional installations where high load capacity, versatility and precise DALI control are required.

Key product features


- **Type of control:** DALI
- **Number of colour channels:** 4
- **DIN-rail mounting:** Yes
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 20
- **Control type:** Constant voltage

Technical specifications:

Product Name	DALI | controller | SC/TW/RGB(W) | 12~48V | DIN
Ean	8714984953673
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	20A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	110mm
Width	67mm
Height	48mm
Number of zones	1
Number of colour channels	4, RGBW

18.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	DALI
DIN-rail mounting	Yes
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


45mm
67mm
35.5mm
98mm
110mm
37mm
48mm
35mm
DIN Rail Mounting Size:
TS-35/7.5 or TS-35/15