TRONIX guided by light

DMX | controller | 2 channels | DMX to trailing edge

ARTICLE NUMBER: 213-356

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

This 2-channel AC trailing edge DMX512 dimmer provides precise leading edge and trailing edge dimming control of 230V light sources within professional DMX installations.

Key product features


- **Control method:** DMX
- **Number of colour channels:** 1
- **Output voltage (V):** 100 – 240
- **Input voltage (V):** 100 – 240
- **Max. output current (A):** 2
- **Suitable for surface mounting:** Yes
- **Number of zones:** 2

Technical specifications:

Product Name	DMX | controller | 2 channels | DMX to trailing edge
Ean	8714984953840
Outer box qty	1st
Colour	White
Connection type	Screwed terminal
Operating method	Other
Control method	DMX
Mounting method	Surface mounted
Material	Plastic
Material quality	Thermoplastic
Applicable with presence indicator	Yes
Suitable for degree of protection (IP)	IP20
Applicable with movement sensor	Yes
Applicable with button	Yes
Applicable with transmission button	No

17.11.2026 - Disclaimer: information subject to change.

Applicable with time switch/timer	Yes
Nominal voltage	100 - 240V
Control voltage	100 - 240V
Min. brightness controllable	Yes
Max. switching power LED	200W
Light value memory	Yes
Halogen free	Yes
RAL-number (similar)	9016
Core cross section	0.75 - 2.5mm??
Warranty	5 years



17.11.2026 - Disclaimer: information subject to change.