TRONIX guided by light

# DMX | controller | 2 channels | DMX to trailing edge | DIN

ARTICLE NUMBER: 213-357

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

This 2-channel AC trailing edge DMX512 dimmer for DIN rail mounting provides precise leading edge and trailing edge dimming control of 230V light sources within professional DMX installations.


### Key product features

- **Control method:** DMX
- **Number of colour channels:** 1
- **DIN rail mounting:** Yes
- **Output voltage (V):** 100 – 240
- **Input voltage (V):** 100 – 240
- **Max. output current (A):** 2
- **Number of zones:** 2

### Technical specifications:

| | |
|---|---|
| Product Name | DMX \| controller \| 2 channels \| DMX to trailing edge \| DIN |
| Ean | 8714984953857 |
| Outer box qty | 1st |
| Colour | White |
| Connection type | Screwed terminal |
| Operating method | Other |
| Control method | DMX |
| Mounting method | Built-in |
| Material | Plastic |
| Material quality | Thermoplastic |
| Applicable with presence indicator | Yes |
| Suitable for degree of protection (IP) | IP20 |
| Applicable with movement sensor | Yes |
| Applicable with button | Yes |

| | |
|---|---|
| Applicable with transmission button | No |
| Applicable with time switch/timer | Yes |
| Nominal voltage | 100 - 240V |
| Control voltage | 100 - 240V |
| Min. brightness controllable | Yes |
| Max. switching power LED | 200W |
| Light value memory | Yes |
| Halogen free | Yes |
| RAL-number (similar) | 9016 |
| Core cross section | 0.75 - 2.5mm?? |
| Warranty | 5 years |


45mm
67mm
35.5mm
98mm
110mm
37mm
48mm
35mm
DIN Rail Mounting Size:
TS-35/7.5 or TS-35/15