TRONIX guided by light

DMX | controller | 4 channels | 12~48V | DIN

ARTICLE NUMBER: 213-354

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

This 4-channel constant voltage DMX512 & RDM decoder provides precise control of single-colour, Tuneable White and RGB(W) LED strips in professional DMX installations where high load capacity and refined dimming control are required.

Key product features


- **Type of control:** DMX
- **Number of colour channels:** 4
- **DIN-rail mounting:** Yes
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 20
- **Control type:** Constant voltage

Technical specifications:

Product Name	DMX | controller | 4 channels | 12~48V | DIN
Ean	8714984953826
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	20A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	110mm
Width	67mm
Height	48mm
Number of zones	1
Number of colour channels	4, RGBW

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	DMX
DIN-rail mounting	Yes
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


45mm
67mm
35.5mm
98mm
110mm
37mm
48mm
35mm
DIN Rail Mounting Size:
TS-35/7.5 or TS-35/15