TRONIX guided by light

DMX | signal amplifier | 2 channels | DIN

ARTICLE NUMBER: 213-358

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

This DMX512 & RDM signal amplifier extends and distributes DMX signals within professional lighting installations and prevents signal loss in larger networks.

Key product features


- **Type of control:** DMX
- **DIN-rail mounting:** Yes
- **Input voltage (V):** 12 – 48
- **Number of zones:** 2

Technical specifications:

Product Name	DMX | signal amplifier | 2 channels | DIN
Ean	8714984953864
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Output voltage	- - -V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	110mm
Width	67mm
Height	48mm
Number of zones	2
Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	DMX

17.11.2026 - Disclaimer: information subject to change.

DIN-rail mounting	Yes
Brand	Tronix Lighting
Compatible with Casambi	No
Warranty	5 years


45mm
67mm
35.5mm
98mm
110mm
37mm
48mm
35mm
DIN Rail Mounting Size:
TS-35/7.5 or TS-35/15