TRONIX guided by light

DMX/DALI controller | eldoLED | LINEARdrive 720/D

ARTICLE NUMBER: 214-350

View this product in our webshop

eldoLED



17.11.2026 - Disclaimer: information subject to change.

Professional 4-channel LED controller (12–48V DC) with a maximum output power of 720 W. Suitable for RGB, RGBW, Tuneable White and single-colour installations. Compatible with DMX (RDM) and DALI.

Key product features

- **Number of colour channels:** 4
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 6
- **Control type:** Constant voltage
- **Type of control:** DMX/DALI
- **Number of zones:** 4

Technical specifications:

Product Name	DMX/DALI controller | eldoLED | LINEARdrive 720/D
Ean	8714984941632
Outer box qty	12st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	6A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	178mm
Width	57mm
Height	21mm
Number of zones	4
Number of colour channels	4, RGBW

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	DMX/DALI
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

