
Easy/sensor connect | controller | RF/Sensor | 6 outlets

ARTICLE NUMBER: 213-610

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

Controller for the Tronix Easy Connect system with RF control and sensor switching. Designed for automatic or manual dimming of LED lighting via remote control or connected sensor.

Key product features


- **Type of control:** RF
- **Number of colour channels:** 1
- **Output voltage (V):** 0 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 6.25
- **Type of control:** Voltage controlled

Technical specifications:

Product Name	Easy/sensor connect | controller | RF/Sensor | 6 outlets
Ean	8714984954182
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	24A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	55mm
Width	54mm
Height	18mm
Number of zones	1
Number of colour channels	1, Single Colour

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


54.00 mm
55.00 mm
18.00 mm