TRONIX guided by light

eldoLED | LINEARdrive 180/D | 4CH | 4 out | DMX

ARTICLE NUMBER: 214-353

View this product in our webshop

eldoLED



17.11.2026 - Disclaimer: information subject to change.

Advanced DMX (RDM) LED controller for 12–24V RGBW, RGB, Tuneable White and single-colour lighting. Four independently controlled outputs with dimming down to 0.1% via HydraDrive.

Key product features

- **Type of control:** DMX
- **Number of colour channels:** 4
- **Output voltage (V):** 12 – 28
- **Input voltage (V):** 12 – 28
- **Max. output current (A):** 2
- **Control type:** Constant voltage
- **Number of zones:** 4

Technical specifications:

Product Name	eldoLED | LINEARdrive 180/D | 4CH | 4 out | DMX
Ean	8714984944244
Outer box qty	12st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	2A
Output voltage	12 - 28V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	153mm
Width	50mm
Height	23mm
Number of zones	4
Number of colour channels	4, RGBW

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 28V
Control method	DMX
DIN-rail mounting	No
Brand	eldoLED
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

