TRONIX guided by light

# Floodlight pro || lens for 100W | 60°

ARTICLE NUMBER: 146-337

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

An alternative lens for the 100W floodlight pro series.

The Floodlight for professional use is ideally suited for "heavy" applications. Think of areas where the lighting is mostly exposed to external weather conditions. Although this fixture has a favorable IP rating of IP66, it is also equipped with an external air pressure valve. This keeps air pressure inside and outside the fixture always the same and moisture inside the fixture has no chance. With various lens options optionally available, these Floodlights are also suitable for:

Lighting large buildings such as churches or historic buildings. (lens 60°)
Illuminating tennis courts or other sports fields. (Symmetrical lens)

**Technical specifications:**

| | |
|---|---|
| Product Name | Floodlight pro \|\| lens for 100W \| 60° |
| Ean | 8714984937031 |
| Outer box qty | 50st |
| Colour | Aluminium |
| Material | Plastic |
| Length | 240mm |
| Width | 121mm |
| Height/depth | 8mm |
| Light outlet | Direct |
| Beam angle | 60° |
| Type of accessory/spare part | Lens |
| Kind of luminaire cover/post globe | Clear with bubbles |
| Attachment of luminaire cover/post globe | Screw |
| Light distributor | Other |
| Light distribution | Symmetric |
| Design of the grid/reflector | None |

17.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Warranty | 5 years |