LED strip || 12V | 60LED/m 5050 | 5m | IP65 | 3000K | CRI>90

ARTICLE NUMBER: 127-107

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

12V flexible LED strip with 3M adhesive tape on the back for easy installation.

Maximum 5 meters of LED strip in one single length. Looking to connect multiple lengths to one single power supply? In that case, choose separate LED strips of up to 5 meters each. For a 10-meter run, simply power the strip from both ends.

Features

- IP65 for outoor use
- High color rendering index CRI>90
- Constant color temperature MacAdam: <3
- Long lifespan of 54.000 hours (L70)
- Double layer PCB for good heat dissipation


Technical specifications:

Product Name	LED strip || 12V | 60LED/m 5050 | 5m | IP65 | 3000K | CRI>90
Ean	8714984915732
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 12V
Number of nodes per meter	60
Lamp power per meter	14.4W
Beam angle	120°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	12V
With protective cover	No
Length of particular segments	50mm
Degree of protection (IP)	IP65

17.11.2026 - Disclaimer: information subject to change.

Self-adhesive	No
Luminous flux per meter	1100lm
Total length	5m
Width	14mm
Height/depth	5mm
Suitable for dimmer	No
Exchangeable control gear	No
Luminous flux per foot	335.28lm
LED type	SMD
Max. system power	72W
Power factor	1
Type of power supply	Mains power supply
Connectable conductor cross section	- - -mm²
Colour temperature	3000K
Warranty	3 years
Ambient temperature	-20 - 50°C
Lowest bending radius	50mm

17.11.2026 - Disclaimer: information subject to change.



17.11.2026 - Disclaimer: information subject to change.