TRONIX guided by light

LED strip || 24V | 120LED/m side | 5m | IP20 | 6000K

ARTICLE NUMBER: 127-077

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

LED strip with LEDs on the side for vertical light output. At round applications such as round coves, the light of this LED strip shines upwards or downwards. With 3M adhesive tape on the back for easy installation.

Maximum 5 meters of LED strip in one single length. Looking to connect multiple lengths to one single power supply? In that case, choose separate LED strips of up to 5 meters each. For a 10-meter run, simply power the strip from both ends.

Features

- 12 LEDs = 100 mm
- IP20 for indoor use
- Long lifespan of 54.000 hours (L70)
- Double layer PCB for good heat dissipation


Technical specifications:


Product Name	LED strip || 24V | 120LED/m side | 5m | IP20 | 6000K
Ean	8714984921658
Outer box qty	25st
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 24V
Number of nodes per meter	120
Lamp power per meter	12W
Beam angle	120°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	24V
With protective cover	No


Length of particular segments	50mm
Degree of protection (IP)	IP20
Self-adhesive	Yes
Luminous flux per meter	1200lm
Total length	5m
Width	8mm
Height/depth	2mm
Colour of light	White
Suitable for dimmer	Yes
Colour rendering index CRI	80-89
Exchangeable control gear	Yes
Connection type	Other
Rated lifetime L70/B50 at 25 °C	54000h
Colour of light adjustable	No
Luminous flux per foot	365.76lm
Luminous flux adjustable	Continuously variable
LED type	SMD
Max. system power	60W
Beam angle adjustable	No
Luminaire efficacy	100lm/W
Power factor	1
Type of wiring	Loop-through wiring included
Number of poles	2
Connectable conductor cross section	0.5 - 2.5mm²
Colour temperature	6000K
Warranty	3 years
Ambient temperature	-20 - 50°C

17.11.2026 - Disclaimer: information subject to change.

Lowest bending radius	50mm







17.11.2026 - Disclaimer: information subject to change.