TRONIX guided by light

# LED strip | COB | 12V | 10W/m | IP20 | 3000K | free cuttable

ARTICLE NUMBER: 127-186

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

This COB LED strip provides a continuous light line with no visible diodes. Freely cuttable for ultimate flexibility. Available in colour temperatures from 2700K to 6500K.

**Key product features:**

- **Maximum lamp voltage:** 12
- **Lamp power per meter (W):** 10
- **Colour temperature (K):** 3000
- **Degree of protection (IP):** IP20
- **Luminous flux per meter (lm):** 920
- **Total length (m):** 5

**Technical specifications:**


| | |
|---|---|
| Product Name | LED strip \| COB \| 12V \| 10W/m \| IP20 \| 3000K \| free cuttable |
| Ean | 8714984954458 |
| Outer box qty | 25st |
| Model | Strip |
| Lamp type | LED not exchangeable |
| Lamp voltage | 0 - 12V |
| Number of nodes per meter | 480 |
| Lamp power per meter | 10W |
| Beam angle | 180° |
| Voltage type | DC |
| Type of control gear | LED operating device voltage-controlled |
| Input voltage tracklights | 12V |
| With protective cover | No |
| Degree of protection (IP) | IP20 |
| Self-adhesive | Yes |


| | |
|---|---|
| Luminous flux per meter | 700lm |
| Total length | 5m |
| Width | 8mm |
| Height/depth | 2mm |
| Colour of light | White |
| Suitable for dimmer | Yes |
| Colour rendering index CRI | 90-100 |
| Exchangeable control gear | Yes |
| Connection type | Other |
| Rated lifetime L70/B50 at 25 °C | 54000h |
| Colour of light adjustable | No |
| Luminous flux per foot | 213.36lm |
| Luminous flux adjustable | Continuously variable |
| LED type | COB |
| Max. system power | 50W |
| Beam angle adjustable | No |
| Luminaire efficacy | 70lm/W |
| Power factor | 1 |
| Type of wiring | Loop-through wiring included |
| Number of poles | 2 |
| Connectable conductor cross section | 0.5 - 2.5mm² |
| Colour temperature | 3000K |
| Warranty | 3 years |
| Ambient temperature | -20 - 50°C |
| Lowest bending radius | 10mm |

17.11.2026 - Disclaimer: information subject to change.








17.11.2026 - Disclaimer: information subject to change.