TRONIX guided by light

LED strip | COB 480LED/m | 10W/m | IP20 | orange (595-605nm)

ARTICLE NUMBER: 127-137

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

COB LED strip with a fully uniform light line in fixed colours blue, green, orange, red or yellow. Ideal for thematic and architectural applications.

Key product features:

- **Lamp power per meter (W):** 10
- **Width (mm):** 8
- **Length of particular sections (mm):** 50
- **Degree of protection (IP):** IP20
- **Luminous flux per meter (Lm):** 200
- **Colour of light:** Orange

Technical specifications:


Product Name	LED strip | COB 480LED/m | 10W/m | IP20 | orange (595-605nm)
Ean	8714984949454
Outer box qty	25st
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 24V
Number of nodes per meter	512
Lamp power per meter	10W
Beam angle	180°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	24V
With protective cover	No
Length of particular segments	62.5mm
Degree of protection (IP)	IP20
Self-adhesive	Yes
Luminous flux per meter	233lm


17.11.2026 - Disclaimer: information subject to change.

Total length	5m
Width	8mm
Height/depth	2mm
Colour of light	Other
Suitable for dimmer	Yes
Exchangeable control gear	Yes
Connection type	Other
Rated lifetime L70/B50 at 25 °C	54000h
Colour of light adjustable	No
Luminous flux per foot	71.02lm
Luminous flux adjustable	Continuously variable
LED type	COB
Max. system power	50W
Beam angle adjustable	No
Luminaire efficacy	22lm/W
Power factor	1
Type of wiring	Loop-through wiring included
Number of poles	2
Connectable conductor cross section	0.5 - 2.5mm²
Colour temperature	Orange
Warranty	3 years
Ambient temperature	-20 - 50°C
Lowest bending radius	10mm

17.11.2026 - Disclaimer: information subject to change.







17.11.2026 - Disclaimer: information subject to change.