TRONIX guided by light

# LTECH | LM-150-24-G1T2 | 24V | 150W | trailing edge

ARTICLE NUMBER: 215-522

View this product in our webshop




17.11.2026 - Disclaimer: information subject to change.

With an output of up to 150 watts, this LTECH LED transformer is an excellent power supply for LED lighting. This transformer provides a smooth dimming experience using the available technologies.

**Features**


- Soft-on and fade-in dimming function for optimal comfort
- Dimming range of 0 ~ 100% when combined with suitable LED lamps

**Technical specifications:**

| | |
|---|---|
| Product Name | LTECH \| LM-150-24-G1T2 \| 24V \| 150W \| trailing edge |
| Ean | 8714984941250 |
| Outer box qty | 30st |
| Housing | Plastic housing |
| Model | Static |
| Output voltage | 24 - 24V |
| Output current | 12500 - 12500mA |
| Suitable for outdoor use | No |
| Suitable for DC-voltage (primary side) | No |
| Output power | 0 - 150W |
| Degree of protection (IP) | IP20 |
| Length | 273mm |
| Width | 57mm |
| Height | 37mm |
| Power consumption | 150W |
| Input voltage | 220 - 240V |
| Frequency input voltage | 50 - 60Hz |
| Overload protection | Yes |
| Overtemperature protection | Yes |

17.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Control method | Trailing edge dimming |
| Short-circuit protected | Yes |
| Ambient temperature | -20 - 50??C |
| Driver lifetime | 50000h |
| DIN-rail mounting | No |
| Brand | Tronix Lighting |
| Dimmable | Yes |
| Emergency power supply system | None |
| Control type | Constant voltage |
| Warranty | 5 years |




17.11.2026 - Disclaimer: information subject to change.