# Power supply | 24V | 100W | trailing edge | indoor

ARTICLE NUMBER: 215-003

View this product in our webshop




17.11.2026 - Disclaimer: information subject to change.

Powerful 24V LED driver (34–100 W) with high efficiency (≥91%) and both leading edge and trailing edge dimming. Ideal for LED strips, cove lighting and furniture applications.

**Key product features**

- **Suitable for constant voltage:** Yes
- **Output voltage (V):** 24
- **Output power (W):** 34 – 100
- **Dimmig phase cut-off (trailing edge):** Yes
- **Dimmig phase cut-on (leading edge):** Yes
- **Input voltage (V):** 220 – 240
- **Control type:** Constant voltage


**Technical specifications:**

| | |
|---|---|
| Product Name | Power supply \| 24V \| 100W \| trailing edge \| indoor |
| Ean | 8714984920354 |
| Outer box qty | 50st |
| Housing | Plastic housing |
| Model | Static |
| Output voltage | 24 - 24V |
| Output current | 1400 - 4200mA |
| Suitable for outdoor use | No |
| Suitable for DC-voltage (primary side) | No |
| Output power | 34 - 100W |
| Degree of protection (IP) | IP20 |
| Length | 210mm |
| Width | 67mm |
| Height | 34mm |
| Power consumption | 100W |

17.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Input voltage | 220 - 240V |
| Frequency input voltage | 50 - 60Hz |
| Overload protection | Yes |
| Overtemperature protection | Yes |
| Control method | Trailing edge dimming |
| Short-circuit protected | Yes |
| Ambient temperature | -20 - 50??C |
| Driver lifetime | 30000h |
| DIN-rail mounting | No |
| Brand | Tronix Lighting |
| Dimmable | Yes |
| Emergency power supply system | None |
| Control type | Constant voltage |
| Warranty | 5 years |

17.11.2026 - Disclaimer: information subject to change.


67mm
210 mm
34mm