
RF | controller | SC | 12~48V

ARTICLE NUMBER: 213-000

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

RF LED controller for single-colour lighting with smooth dimming control. Operated via remote control or push-button, with synchronization support for multiple units. Compact, reliable and compatible with 12–48 V DC installations.

Key product features


- **Type of control:** RF
- **Number of colour channels:** 1
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 15
- **Control type:** Voltage-controlled

Technical specifications:

Product Name	RF | controller | SC | 12~48V
Ean	8714984952850
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	15A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	175mm
Width	45mm
Height	27mm
Number of zones	1
Number of colour channels	1, Single Colour

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


175mm
45mm
160mm
27mm