RF | controller | TW | 12~24V | small

ARTICLE NUMBER: 213-012

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

Compact RF LED controller for Tuneable White with seamless adjustment of brightness and colour temperature. Suitable for manual operation and wireless control, with synchronisation function for larger installations.

Key product features


- **Control type:** RF
- **Number of colour channels:** 2
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 5
- **Type of control:** Constant voltage

Technical specifications:

Product Name	RF | controller | TW | 12~24V | small
Ean	8714984952973
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	5A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	76mm
Width	23.5mm
Height	8.7mm
Number of zones	1
Number of colour channels	2, Tuneable White

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


76.00 mm
23.50 mm
76.00 mm
8.70 mm