TRONIX guided by light

Sensor connect | sub controller for 213-552

ARTICLE NUMBER: 213-555

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

Step sub-controller for individual control of LED lighting per step within SPI-controlled stair lighting systems. Designed for precise step distribution and reliable signal transmission.

Key product features

- **Type of control:** SPI
- **Number of colour channels:** 1
- **Output voltage (V):** 5 – 24
- **Input voltage (V):** 5 – 24
- **Max. output current (A):** 1
- **Type of control:** Voltage controlled


Technical specifications:

Product Name	Sensor connect | sub controller for 213-552
Ean	8714984954540
Outer box qty	1st
Model	Static
Housing	Other
Programmable	No
Max. output current	1A
Output voltage	5 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	43mm
Width	10mm
Height	5mm
Number of zones	1
Number of colour channels	1, Single Colour

17.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	5 - 24V
Control method	SPI
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years





17.11.2026 - Disclaimer: information subject to change.