Street light 38W || 4000K | Cree LED | Philips driver

ARTICLE NUMBER: 220-050

View this product in our webshop



17.11.2026 - Disclaimer: information subject to change.

Streetlight with Cree XP-G3 LEDs and Philips driver with maximum energy efficiency and reliability. With IP66 rating and surge protection, this lantern is ideal for sustainable lighting of parking lots and business areas.

Key product features:

- **Degree of protection (IP):** IP66
- **Suitable for spigot size (mm):** 60
- **Impact strength:** IK09
- **Color temperature (K):** 4000
- **Max. system power (W):** 38
- **Rated luminous flux accoring to IEC 62722-2-1 (lm):** 4535

Technical specifications:

Product Name	Street light 38W || 4000K | Cree LED | Philips driver
Ean	8714984930285
Outer box qty	2st
Dimmable	No
Type	Streetlight
Lamp type	LED not exchangeable
Lamp holder	None
Housing colour	Anthracite
Housing material	Aluminium
Material cover	Plastic, transparent
Connection type	Push-in clamp
Mounting method	Post top/side entry
Length	450mm
Width	230mm
Height/depth	100mm
Colour of light	White

17.11.2026 - Disclaimer: information subject to change.

Colour consistency (McAdam ellipse)	SDCM6
Colour temperature	4000 - 4000K
Colour rendering index CRI	70-79
Voltage type	AC
Nominal voltage	232 - 232V
Nominal current	167 - 167mA
Suitable for lamp power	0 - 0W
Suitable for spigot size	60 - 60mm
Number of poles	3
Light source included	Yes, fixed LED
Light distributor	Other
With connection cable	No
Connectable conductor cross section	0.75 - 2.5mm??
Type of control gear	LED operating device current-controlled
Exchangeable control gear	No
With control gear	Yes
Degree of protection (IP)	IP66
Surface protection	Powder coating
Impact strength	IK09
Rated lifetime L70/B50 at 25 ??C	50000h
Max. system power	38W
Rated luminous flux according to IEC 62722-2- 1	4940 - 4940lm
Luminaire efficacy	140lm/W
Power factor	0.96
Type of wiring	Ending
Warranty	3 years

17.11.2026 - Disclaimer: information subject to change.

Ambient temperature	-20 - 45??C














17.11.2026 - Disclaimer: information subject to change.