# Zigbee | driver | 12W | 100~700mA | max. 42V | NFC

ARTICLE NUMBER: 214-260

View this product in our webshop

zigbee




17.11.2026 - Disclaimer: information subject to change.

Zigbee 3.0 LED driver for constant current applications up to 12 W. Output current adjustable via NFC. Compatible with Philips Hue, Homey and other smart home platforms.

**Key product features**

- **Suitable for constant current:** Yes
- **Output voltage (V):** 6 – 42
- **Output current (mA):** 100 – 700
- **Output power (W):** 1 – 12
- **Input voltage (V):** 200 – 240
- **Control protocol:** Zigbee
- **Control type:** Constant current

**Technical specifications:**


| | |
|---|---|
| Product Name | Zigbee \| driver \| 12W \| 100~700mA \| max. 42V \| NFC |
| Ean | 8714984948365 |
| Outer box qty | 1st |
| Housing | Plastic housing |
| Model | Static |
| Output voltage | 6 - 42V |
| Output current | 100 - 700mA |
| Suitable for outdoor use | No |
| Suitable for DC-voltage (primary side) | Yes |
| Output power | 1 - 12W |
| Degree of protection (IP) | IP20 |
| Length | 135mm |
| Width | 35mm |
| Height | 20mm |

17.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Power consumption | 12W |
| Input voltage | 200 - 240V |
| Frequency input voltage | 50 - 60Hz |
| Overload protection | Yes |
| Overtemperature protection | Yes |
| Control method | Zigbee |
| Short-circuit protected | Yes |
| Ambient temperature | -25 - 45??C |
| Driver lifetime | 100000h |
| DIN-rail mounting | No |
| Brand | Tronix Lighting |
| Dimmable | Yes |
| Emergency power supply system | None |
| Control type | Constant current |
| Warranty | 5 years |

17.11.2026 - Disclaimer: information subject to change.






17.11.2026 - Disclaimer: information subject to change.